



Planning • Heritage

Specialist & Independent Advisors to the Property Industry

Bickham Moor

Client

Coronation Power and PMSS

Location

Bickham Moor, Devon

Services Provided

Archaeology

Date of Completion


2009

Key Issues

Planning permission refused refused on archaeological (& other grounds)

Geophysical survey & limited trenching

Negotiations with LPA leading to archaeological objection being removed & not contended at public inquiry



CgMs were instructed by PMSS & Coronation Power following the refusal of planning permission for the construction a 4 turbine wind farm on archaeological and landscape grounds.

CgMs organised a geophysical survey of turbine locations and access tracks which had largely negative results. Following continuing objections from the LPA, limited trenching was undertaken in order to avoid archaeology being a contentious issue at public inquiry. This revealed no significant archaeological features and resulted in the LPA withdrawing their archaeological objection and recommending that no archaeological conditions were required in the event the appeal was upheld.

LONDON

Tel: 020 7583 6767

CHELTENHAM

Tel: 01242 259 290

NEWARK

Tel : 01636 653 060

KETTERING

Tel: 01536 790 447

BIRMINGHAM

Tel: 0121 210 2512

MANCHESTER

Tel: 0161 955 4469

DORSET

Tel: 01747 828 840

EDINBURGH

Tel: 0131 718 6007

www.cgms.co.uk