



Planning • Heritage

Specialist & Independent Advisors to the Property Industry

St Breock Wind Farm Re-powering

Client

REG Windpower

Location

St Breock, Cornwall

Services Provided

Archaeology

Date of Completion

March 2012

Key issues

Baseline assessment

Geophysical survey

Historic Environment ES
Chapter

Impact upon the setting of
designated heritage assets



CgMs provided archaeological advice and services in securing planning permission for the re-powering of St Breock Wind Farm. The existing farm comprises 11 turbines, these are to be replaced by 5 turbines with a maximum tip height of 100m above existing ground level.

The baseline assessment and ES chapter took account of all cultural heritage assets within 5km of the proposed turbines and those of exceptional importance beyond this and assessed the direct and indirect impact of the re-powering of St Breock upon these. 27 Scheduled Monuments and 8 listed buildings are situated within 5km of the wind farm.

A geophysical survey was undertaken to identify the potential for buried archaeological deposits along the route of the proposed access track.

The application was approved in October 2012, a programme of archaeological monitoring during the construction of the site and access track was secured by a condition of planning consent.



LONDON

Tel: 020 7583 6767

CHELTENHAM

Tel: 01242 259 290

NEWARK

Tel: 01636 653 060

KETTERING

Tel: 01536 790 447

BIRMINGHAM

Tel: 0121 210 2512

MANCHESTER

Tel: 0161 955 4469

DORSET

Tel: 01747 828 840

EDINBURGH

Tel: 0131 718 6007

www.cgms.co.uk